

Colour: White



Benefit

- •Soft tissue with high brightness
- Premium decor embossing, visually
 - appealling and extra bulk
 - Easy Open feature
 - •Easy handling feature



3



Article	System	Roll Length	Roll Diameter	Number of Sheets	Core Inner Diameter	Layers	Print	Embossing	Colour
110317	T4 - Conventional toilet system	34.72 m	12 cm	248	3.8 cm	3	No	Yes	White

Description

High quality conventional toilet rolls suitable for all types of washrooms

Shipping data

TOR

Consumer unit

EAN	7322540011401		
Pieces	6		
Material	Plastic		
Height	198 mm		
Width	120 mm		
Length	355 mm		
Volume	8.4 dm3		
Net weight	1009 g		
Gross weight	1053 g		

Transport unit

EAN	7322540011517		
Pieces	42		
Consumer units	7		
Material	Plastic		
Height	198 mm		
Width	355 mm		
Length	840 mm		
Volume	59.0 dm3		
Net weight	7.06 kg		
Gross weight	7.41 kg		



Environmental

Content

Mixed fibres Chemicals

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents If white Fluorescent whitening agent If needed Glue Softeners

The process chemicals are: Antipitch



Colour: White

Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel This product is approved for EU Ecolabel

Date of issue 2013-09-26 Revision date

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.